	Receiving Report									
	ate: /////////supplier: ////////////////////////////////////	- <u>e</u> rkri			<u>1/6 700</u> ' 3 3 <i>3</i> 2	L				
Packing Slip: Yes No Release Note Attached: Yes No Waybill Attached: Yes No Shipment Complete: Yes No Discrepancies										
Part , Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments				
				,	_					
					e.					
	ر بر الله الله الله الله الله الله الله الل	- Initials	of receiver	if shipment	OK) Level	12/				
Production/Ad Date Received/Cos Initial	11/01/26				Locati	on				
				7.3		•				

H:\FORMS\Purchasing\approved purch\RECREPORT_Rev.D -

Purchase Order Receipt Listing

Wednesday, January 26, 2011 7:10:38 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO13332 Receipt Dates from 1/26/2011 to 1/26/2011 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M-/ Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Ven	ndor Nam	e VC-C	COP001 Thyssen	krupp Materials CA Ltd							
PO13332	1	,	M303R1.000	f	1/26/2011	1/26/2011	24.0000	\$6.53	0.0000	0	\$156.80
CAD	No		303 Round Bar 1.00 116700	f	24.0000	DESJ02		\$156.80	0.0000	0	
•	2		M303R2.000	f	1/26/2011	1/26/2011	12.0000	\$25.93	0.0000	0	\$311.15
	No		303 ROUND BAR 2" 116700	f .	12.0000	DESJ02		\$311.15	0.0000	0	
	3		M6061T6S.080	sf	1/26/2011	1/26/2011	192.0000	\$3.52	0.0000	0	\$675.80
	No		6061-T6 .080 Sheet 116700	sf	192.0000	DESJ02		\$675.80	0.0000	0	
	4		M6061T6S.125	sf	1/26/2011	1/26/2011	32.0000	\$5.48	0.0000	0	\$175.28
	No		6061-T6 .125 Sheet 116700	sf	32.0000	DESJ02		\$175.28	0.0000	0	
	5		M6061T6B00750X00	0 f	1/26/2011	1/26/2011	100.0000	\$0.25	0.0000	0	\$25.00
	No		6061-T6 Bar .750 x .125	f	100.0000	DESJ02		\$25.00	. 0.0000	0	
		in the second	116700			ì		Total	Total Received (I Qty to Inspect (P Total Reject (Total Recei	PO U/M): Quantity: pt Value:	360.0000 0.0000 0.0000 \$1,344.03
						1		To	otal Balance Due (Quantity:	0.0000

BILL OF LADING Ship D No: PEC 693046 Ship Date 24Jan11 at 8:16 From PFW THYSSENKRUPP MATERIALS NA Probill T151310 Via APEXMOTOR-PEC 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033 FOB CONCORD Frt PREPAID Route 0- 0 Manifest Trailer Vhcle Slp TRINA VINCE (905-532-1365) Ship To: (1)
DART AEROSPACE Sold To: (20115) DART AEROSPACE 1270 ABERDEEN ST 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7 HAWKESBURY, ON K6A 1K7 Tel: 613-632-9577 Fax: 613-632-1053

_______ BILL OF LADING 1) Our Order PEC-293895- 1 Your PO # 13332 ReI # CHANTAL Part # ALUMINUM SHEET 6061 T6 .0810 Nom X 48.0000" X 144.0000" Heat Number Tag No Quantity PCS Wt LE 422402 156796 192.00 SFT 4 21 Wt LBS 210 2) Our Order PEC-293895- 2 Your PO # 13332 Rel # CHANTAL Part # ALUMINUM SHEET 6061 T6 .1250 Nom X 48.0000" X 96.0000" Heat Number Tag No Quantity PCS Wt LBS 12833/01 156797 22.00 SFT 1 56 3) Our Order PEC-293895- 3 Your PO # 13332 Rel # CHANTAL Part # ALUMINUM FLAT BAR 6061-T6511 .125" x .750" X 240.0000" Heat Number Tag No Quantity PCS 10081183a 156667 100 FT 5 Wt LBS 11 ______ 4) Our Order PEC-293895- 4 Your PO # 13332 Rel # CHANTAL Part # STAINLESS STEEL ROUND BAR 303 STAINLESS 1.00" DIA X 144.0000" $_{
m V}$ Quantity 24 FT PCS. Wt LBS Tag No 156668 Heat Number 2 65 7WX0

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE:
RAPPORTÉES IMMÉDIATEMENT:
ERRORS OR SHORTAGE MUSTIBE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

BILL O F Ship From: LADING No: PEC 693046 Ship Date 24Jan11 at 8:16 From PFW THYSSENKRUPP MATERIALS NA Probill T151310 APEXMOTOR-PEC 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033 CONCORD FOB Frt PREPAID Route 0- 0 Manifest Vhcle Trailer Slp TRINA VINCE (905-532-1365) Sold To: (20115) Ship To: DART AEROSPACE DART AEROSPACE BILL OF LADING 5) Our Order PEC-293895- 5 Your PO # 13332 Rel # CHANTAL Part # STAINLESS STEEL ROUND BAR 303 STAINLESS 2.00" DIA X 144.0000" Quantity Wt. LBS Heat Number Tag No 135 156669 ✓ 12 FT 1 83952 PCS LBS Taqs 477 13 TOTAL:

Heat Number 10081183a 12833/01 422402 7WX0

*** Chemical Analysis ***

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **

** REFERENCED ON IT **

TOTAL: 1 SKID, 2 BDLES ITEM #1 AND #2 - 1 SKID 1 SKID, 2 BDLES - 575 LBS

ITEM #3 - 1 BDLE

ITEM #4 AND #5 - 1 BDLE

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA

**** TEL. 800-926-2600 **** **************

WE STOCK STAINLESS STEEL

Page: 2Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMÉDIATEMENT ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NÚMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

PEC 693046 No: LADING Ship Date 24Jan11 at 8:16 From PFW Ship From: Probill T151310 THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD APEXMOTOR-PEC CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033 CONCORD FOB PREPAID Frt 0- 0 Manifest Route

Ship To: (1)
DART AEROSPACE

Vhcle Trailer
Slp TRINA VINCE (905-532-1365)
Sold To: (20115)
DART AEROSPACE

Page: 3 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

ENKRUPP MATERIALS NA

ALUMINUM SHEET 6061 T6 .0810 Nom X 48.0000" X 144.0000" PART NO.

PO/Rel 13332

/CHANTAL

Signed by:

BL PEC-693046-001

Certificate of Mill Test Results

Pg 1/2

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

CERTIFIED INSPECTION REPORT

Alcoa Inc.

1137125 Ship Date

2010-11-30

PITTSBURGH, PA

DAVENPORT WORKS

Ship From: Alcoa No. Item RIVERDALE, IA.

We investly certify that the matchial covered by the certificate has been inspected with, and has been found to meet, the applicable requirements described therein, including any specifications forming a part of the description and that samples representative of the material met the composition limits and had the machenical properties shown on the face of this sheet.

Director of Manufacturing Davenpart Works

Quality Assurance Manage

P.C. No./Gov! Contract No.

1000238873-4

Page DS-38873-4

Alcoa Item

Customer 5400077954 In#: 0040 COPPER & BRASS SAL G041099578R05

Invoice No.

00000

Ship To: COPPER & BRASS SALES INC 415 STATE PARKWAY SCHAUMBURG 60195 IL

Item Description 0.38 IN TK (+0.0000 -.0045) X 48.0 IN W (+.125 - .125) X 144.0 IN LN (+.15625 -.15625) CAT X 063567-2 (N) A/T 6061-TE FLAT SHEET FOR DISTRIBUTORS TOLERANCE GUARANTEED ALFLR01650. AMS4027 REV N EXC MRK ASTMB209 REV 07 ((MARKED)) KRAFT PAPER INTERLEAVED MAX GROSS SKID WGT: 4000 LB QUAN TOL +/-30 % CQR 0214533 RBV 05 CUST REQ 10-11-24 *** W/E 10-11-27 ***

5444233

Package Ticket Num Lot 1 256111 422402 256114 422402 3 256127 422402 256129 422402

Weight Quantity WOW Inspector Clock Numbers ------3571 69 PC 27740 47114 3581 69 PC 27740 47114 1665 32 PC 27740 47114 3579 69 27740 47114 ----12396 239

Notes for CQR: 0214533.5

PRODUCT PRODUCED TO THE REQUIREMENTS OF AMS4027 REV N ALSO MEET THE REQUIREMENTS OF AMS-QQ-A-250 11 ORIGINAL REVISIO N DATED 1997-08-01.

CQR: 0214533.5 -Specification Limits

UTS TYS BL4D Tmpr Dir K5I KSI PCT Long Transv. Max

Min 42.0 35.0 10

Other Other Chemical Composition SI FE CU MN

MG CR ZN TI Each Total Aluminum 0.8 0.7 0.40 0.15 1.2 0.35 0.25 0.15 0.05 0 15 Max Alloy 6061 Min 0.40 0.15 0.8 0.04 REMAIN

SSENKRUPP MATERIALS NA

ALUMINUM SHEET 6061 T6 ..0810 Nom X 48.0000" X 144.0000" PART NO.

. . %

PO/Rel 13332

/CHANTAL

5400077954 Ln#: 0040

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-693046-001

Pg 2/2

Signed by:

CERTIFIED INSPECTION REPORT

Alcoa Inc.

PITTSBURGH, PA

DAVENPORT WORKS

Ship From:

RIVERDALE, IA.

The relief of the material methods covered by this careficate has been inspected with, and has been found to meet, the applicable requirements described therein, including any specifications forming a part of the description and that samples representative of the material met the composition limits and had the mechanical properties shown on the face of this sheet. Per: 1187125 Ship Date 2010-11-30 5444233

Invoice No. 00000

Alcoa No. Item 1000236873-4

Page DS-38873-4

Customer P.O. No./Govt Contract No.

Alcca Item

COPPER & BRASS SAL G041099578R05

Oirector of Manufecturing Davenpor: Works

Quality Assurance Manager

CQR: 0214533.5 -Specification Limits (cont.) -----

Lot: 422402 UTS No-> TYS EL4D Tmpr Dir Test KSI KSI PCT T6 Long Transv. 2 50.1 44.4 10.6 49.9 44.2

We hereby certify that the meterial covered by this cartificate has been inspected with, and has been found to meet, the

Cast Number Chemical - OES SI FE CU MN MG CR H9830092 Actuals 0.63 0.4 0.24 0.06 0.9 0.19 0.02 0.02

This material was melted in the United States or a Qualifying Country [REF DFARS 225.872.1(a)]; it was manufactured in the United States

10.7

THYSSENKRUPP MATERIALS NA DART AEROSPACE

PO/Rel 13332

/CHANTAL

Certificate of Mill Test Results

BL PEC-693046-002 24Jan11

AL DMINUM SHEET 6061 T6 1250 Nom X 48.0000" X 96.0000" PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs

Signed by:



Abnahmeprüfzeugnis 3.1 (EN 10204) Inspection certificate - mill certificate

Zertifizier nach / certified to ISO 8001, ISD/TS 16949, EN/AS 9100, ISO 14001, NADCAP

Nr.:

85329436 04/5

Rev. 0

Seite / page: 1 von / of 2 Datum / date: 2010 10 18

Auftraggeber / customer: ThyssenKrupp Materials NA 2821 Langslaff Rd CDN-L4K 5C6 CONCORD, ON

Warenempfänger / consignee: ThyssenKrupp Materials NA 2821 Langstaff Rd CDN-L4K 5C6 CONCORD, ON

Endkunde, Bestell-Nr. / Your cust., ord. no.:

Bestell Nr. / order no.:	PEC-224981
Datum / date:	2010 09 29
Auftragsbest, Nr. / order confirm, no.: Datum / date:	618747 2010 09 30
Lleferschein Nr. / delivery note: Datum / date:	85329436 2010 10 18

Akkreditly Nr. / letter of credit no.:

dukt		

Form / form: Sheet Werkstoff / material 6061 Zustand / temper: T6

Dim. / dim: [inch]: 0,125x48,00x96.00 Kundenartikel-Nr / customer article no.:

SMOIRS

Bedingungen/terms

Techn. Lieferbedingungen / techn. spec.:

AMS-QQ-A-250/11, 08.1997

ASTM B 209 - 07

Material meets also the mech. properties of AMS 4027N. 07.2008, but not marked

ANSI H35.2-2009 ASME SB 209, 2007

Sondervorschrift / special terms:

AB-Pos. orditem.	BNr/Los/Tellios Lot/No./Part	Guss Nr. cast no.	Workstoff material	Kollo	Gewicht netto	Sik.
02	12833/01/00	01/0040947/0	6061.1	6187470002	3273,81 lbs	60
						

Chemische Zusammensetzung // chemical composition: [%] Gewichtsanteile // weight proportion											
Guss Nr. / cast no.	AMAG designation								-1		
01/0040947/0	6061.1	ŧ)	Fe	Cu	Mn	Mg	Cr	Ni	Zn	171	
	actual	0,71	0,40	0,21	0,13	0,90	D,16	0,01	0,05	0,05	

BNr/Los Lot/No.	Zustand temper	Richtung direction	Rm [ksl]	Rp0.2 [ksi]	A2" [%]			
12833/01	T6	LT	49,0	43,7	14	T	 	+
12833/01	T6	ĻT	49,2	43,5	14		—	
12833/01	T6	LT	49,2	43.8	14	— —	 	+-
12833/01	T6	LT	49,0	43.5	15		 	+-
12833/01	T6	LT	49,7	44.2	14			+-
12833/01	T6	LT	49,2	43,8	14		 	_
12833/01	⊤ 6	LT	49,0	43,7	14	 	 	1-
12833/01	T6	LT	49,2	43.7	14	<u> </u>	 	+-
12833/01	T6	LT	49,3	43.8	14		 	+

AMAG rolling GmbH, Postfach 32, A-5282 Ranshofen, Österreich — <u>www.amag.at</u> AMAG rolling GmbH, P.O. Box 32, A-5282 Ranshofen, Austria — <u>www.amag.at</u>

<u>YSSENKRUPP MATERIALS NA</u> DART ĂĔŔŎŚPĀĊĔ

PO/Rel 13332

Certificate of Mill Test Results

BL PEC-693046-002 24Jan11

ALUMINUM SHEET 6061 T6 1250 Nom X 48.0000" X 96.0000" PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

/CHANTAL Pg 2/2 Signed by:



Abnahmeprüfzeugnis 3.1 (EN 10204) Inspection certificate - mill certificate

Zertiliziert nech / certified to ISO 9001, ISO/TS 16949, EN/AS B100, ISO 14001, NADCAP

Nr.: 85329436 04/5

Rev. 0

Selle / page: 2 von / of 2 Datum / date: 2010 10 18

Es wird bestätigt, dass die Lieferung geprüft wurde und den Vereinbarungen bei der Bestellung entspricht. We hereby certify that the material described above has been tested and complies with the terms of the order contract.

Werkssachverständiger/ factory specialist	E-Mail //e-mail
Josef Klampfer	j.klampfer@amag.at

Herstellerland: Österreich / goods prigin: The goods are of Austrian prigin. Maschinell erstellt - Gültig ohne Unterschrift / Automated - valld without being signed.

AMAG rolling GmbH, Postfach 32, A-5282 Ranshofen, Österreich – www.amag.at AMAG rolling GmbH, P.O. Box 32, A-5282 Ranshofen, Austria – www.amag.at

BNIKRUPP MAYDRIALS NA PO/Rel 13332

/CHANTAL

Certificate of Mill Test Results BL PEC-693046-003 24Jan11

ALUMINUM FLAT BAR 6061-T6511 125" x 750" X 240.0000" PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Material Test Report

Customer Ship To:

2821 Langstaff Road

Our Order:

372006 - 3

ThyssenKrupp Materials NA

L4K 5C6

Your PO#

224069

Part #

05485-000-240

Die:

ES05485

Concord

ON

Description:

.125 x .750

Alloy Temper

6061 T6511

Print Date:

9/10/2010

1/01/20

Chemical Composition

others others Si Fe Ti Cu Mn Mg Αl each total 0.40-0.8 0.15-.40 0.15 max 0.8-1.2 0.04-0.35 0.25 max 0.05 0.15 0.7 max 0.15 remain

Mechanical Properties Strength ksi Elongation Yield Test Date (2" gage length) Test ID CastNum Ultimate (2% Offset) Skid# 121964 9/2/10 10081183a 39,14 36.03 8.0 5149416 5149959

Applicable Specifications:

ASTM B221-06 ASTM B308 ASTM B429

QQA200/8 QQA200/16

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Evan Eng - Tensile Testing

Authorized

ENKRUPP MATERIALS NA

PO/Rel 13332

CHANTAL

BL PEC-693046-004

Certificate of Mill Test Results

24Jan11 Pg 1/1

STAINLESS STEEL ROUND BAR 303 STAINLESS 1.00" DIA X 144.0000" PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS 6870 HIGHWAY 42 EAST **GHENT, KY 41045**

6870 HIGHWAY 42 EAST

Certificate: 606597 9 Customer: 007206 001

Mail To:

THYSSENKRUPP MATERIALS

CONCORD, ON L4K5C6

2821 LANGSTAFF ROAD

Ship To:

THYSSENKRUPP MATERIALS

2821 LANGSTAFF ROAD

CONCORD, ON L4K5C6

Date: 12/10/2010

Page: 1

Steel: 303

Finish: ST

Your Order: PEC226743

NAS Order: IN 0108238 06

Corresion:

PRODUCT DESCRIPTION:

Round Bar, Annealed, Smooth Turned, Cold Finished

ASTM A582/05 EN 10204 3.1, ASTM A484/08 AMS 5640U TYPE 1, QQS-764B CONDITION A

REMARKS:

COMPLIES W/REQUIREMENTS OF DFARS EU DIRECTIVE 2002.95.

EC. ROHS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG IN USA

FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Product Id	Skid # Djameter Si	ze Weight	Length	Mark	Pieces Commo	dity Code	
BD4530 8	1.0000	1,004	144.00	10	1		
		<i></i>					

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

HEAT	CM	С	CO	CR	Cū	WM	MO	Ŋ	NI	P
7NX0	บร	. 0435	-0235	17.7775	.1365	1.7785	.2555	.0409	8.5735	.0270
		S	SI			i				_
		.3465	.2255					-		

MECHANICAL PROPERTIES

Product Id	,	1 c	нв	. 2YS KSI	uts KSI	RA %	Elng % 4D
BD4530 8		RI	165.00	59.86	97.05	25.68	16.94

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

QC ENGINEER

12/10/2010

SSENKRUPP MATERIALS NA DART AEROSPACE STAINLESS STEEL ROUND BAR 303 STAINLESS 2,00" DIA X 144,0000" PART NO.

PO/Rel 13332

/CHANTAL

BL PEC-693046-005 24Jan11

Certificate of Mill Test Results

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs

Signed by Aito

_ Pg 1/1

VIRAJ PROFILES LIMITED

10 Imperial Chambers, 1st Floor, Wilson Road, Mumbai 400 038 INDIA

TEST CERTIFICATE

CUSTOMER

CANADA.

ORDER NO

PACKING LIST NO

INSPECTION NO

DATE

FIDELITY STAINLESS LTD. 2213 NORTH SHERIDAN WAY MISSISSAUGA, ON L5K 1A3

P01025

IMP/915178/20

100000697488

06.08.2010

GRADE

HEAT No

T-303

83952

BUNDLE NO: 5110457,5110452,5110451,5110450,5110449,5110448,

DESCRIPTION

STAINLESS STEEL BRIGHT BARS

SM	COL	ΉΤ	URN	ED

SIZE	SHAPE	TOLERANCE	LENGTH	PIECES	WEIGHT
2"	ROUND	ASTM A484	12' - 14'	46	6,271.000 LB
- /			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

CHEMICAL ANALYSIS

%C	%Mn	%Si	%S	%Р	%Cr	%Ni	%Cu	%Mo	%Co	%N2	
0.0670	1.980	0.500	0.3010-	0.0400	17.150	8.200	0.480	0.350	0.140	0.05000	

TEST RESULTS

0.2% yield strength ksi	Tensile Strength ksi	Elongation %	Reduction Of Area %	Hardness BHN	Grain Size NOS	
50.0	88.0	42.0	63.0	180.0	6.0	

SPECIFICATION:

MATERAL CONFIRMS TO DIN 10088-3:2005 COND-A & ASTM A 582/A582M-05 COND A. ASTM A 388-05, ASTM A 484-06b, AMS 5640R TYPE 1, EXCEPT MARKING, QQS-764BA2 COND A. EXCEPT MARKING, UNS-S-36300.ASTM A314-2002. ASTM A320/A320M-05% B8F CLASS 1.ASME SA 320 B8F CL 1 MIL-S-862 B GRADE AISI 303 & WNR 1.4305. CERTIFIED AS PER EN 10204- 3.1

REMARKS

MATERIAL IS FREE FROM MERCURY CONTAMINATION, FREE FROM WELD OR WELD REPAIRS, MICRO:FREE FROM CONTINOUS CARBIDE NETWORK UNIGRAINBOUNDARIES. MACRO: GOOD, MINIMUM SOLUTION ANNEALING TEMPERATURE 1050C, ISOAKING (TIME OF ICHRS, WATER QUENCHED. MELT SOURCE:AOD, WE CONFIRM THAT THE MATERIAL HAS BEEN TESTED AND FOUND TO BE FREE FROM RADIOACTIVE CONTAMINATION.COUNTRY OF ORIGIN: INDIA

We hereby certify that the material described above has been tested and complies with the terms of order/contract.



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO13332

Purchase Order Date 1/20/11 PO Print Date 1/20/11

Page Number 1 of 2

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

Contact Name

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Net 30 CAD

Currency **FOB**

Terms

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



Line	Nbr Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable U	Req Qty/ nit of Measure	Ship Method	Unit Price	Extended Price
. 1	M303R1.000	303 Round Bar 1.00	1/26/11 Yes	24.00 f	Yours ppd	\$6.5333	\$156.80
		Special Inst:	MATERIAL: AISI PER ASTM A582 NOTE: AISI 304/3				
2	M303R2.000	303 ROUND BAR 2"	1/26/11 Yes	12.00 f	Yours ppd	\$25.9290	\$311.15
		Special Inst:	MATERIAL AS A	BOVE			
3	M6061T6S.080	6061-T6 .080 Sheet	1/26/11 Yes	192.00 sf	Yours ppd	\$3.5198	\$675.80

Special Inst:

MATERIAL: 6061-T6/T62 ALUMINUM

SHEET AS PER

QQ-A-250/11 OR AMS-QQ-A-250/11 OR

AMS 4025 OR

AMS 4027 OR ASTM B209

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 1/20/11



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO13332

Purchase Order Date 1/20/11 PO Print Date 1/20/11

Page Number 2 of 2

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

Contact Name

Vendor Phone

905.669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

Net 30

10127-2607

Terms Currency

CAD

FOB

Destination-Collect

M6061T6S.125

1/26/11

32.00

Yours ppd

\$5.4775

\$175.28

6061-T6 .125 Sheet

Yes

Special Inst:

AS ABOVE

M6061T6B00750X00.125

6061-T6 Bar .750 x .125

1/26/11

100.00

Yours ppd

\$0.2500

\$25.00

Yes

Special Inst:

MATERIAL: 6061-

T6/T651/T6510/T6511/T62 ALUMINUM

AS PER QQ-A-225/8 OR AMS-QQ-A-225/8

OR AMS 4117/4128

4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR

ASTM B221

PO Total:

\$1,344.03

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Date: 1/20/11

Change Nbr:

TRANSMISSION VERIFICATION REPORT

TIME : 01/20/2013 NAME : FAX : TEL : SER.# : F9N212739

01/20/2011 15:10

DATE, TIME FAX NO./NAME DURATION PAGE(S) RESULT MODE

01/20 16:09 19057389033 00:00:30 02 OK STANDARD ECM

No: PEC ST-293760

Quoted By:

THYSSENKRUPP MATERIALS NA

2821 LANGSTAFF ROAD

CONCORD, ONTARIO L4K 5C6

Tel: 905 669 9444 Fax: 9057389033

Quoted To: (20115) DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7 Quoted Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Trm NET 30 DAYS/NET 30 JOURS Qtd 20Jan11 Qte Ref FOB Frt PREPAID Via Tel 613-632-9577 Fax 613-632-1053 Ctc CHANTAL Slp TRINA VINCE (905-532-1365) QUOTATION QT No: PEC ST-293760 Test Certs: Chem-Y Phys-Y 1 Original copies with Shipment, 1 with Invoice 1 STAINLESS STEEL ROUND BAR 303 STAINLESS 2 PCS 1.00" DIA X 144.0000" 64 LBS @ 2.4500 LBS 156.80 15.0000 LOT 15.00 MATERIAL ENERGY SURCHARGE _______ 2 STAINLESS STEEL ROUND BAR 303 STAINLESS 127 LBS 1 PCS 2.00" DIA X 144.0000" 127 LBS @ 2.4500 LBS MATERIAL _______ MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING. ATTN: CHANTAL/LINDA ** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER ** ** REFERENCED ON IT ** Price in effect at time of shipment. Price based on receipt of total order. All weights are theoretical. All orders are subject to credit approval. **** TEL. 800-926-2600 **** *** CUSTOMER PICK-UP HOURS *** *** 9:00 AM TO 4:00 PM *** WE STOCK STAINLESS STEEL!!!!! PLEASE LET US QUOTE YOUR NEXT REQUIREMENT ******************* ***PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE ADDED TO EVERY ORDER AS OF DEC 8/08.*** Order Totals: 2 Items 191 LBS ****************** Other Taxes ORDER AMT 15.00 62.78 545.73 Material Processing Freight Taxes: ONHSTS 62.78 0.00 0.00

Page: 1Last

No: PEC ST-293565

Quoted By:

THYSSENKRUPP MATERIALS NA

2821 LANGSTAFF ROAD

CONCORD, ONTARIO L4K 5C6

Tel: 905 669 9444 Fax: 9057389033

Quoted To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Quoted Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Trm NET 30 DAYS/NET 30 JOURS Frt PREPAID Tel 613-632-9577 Fax 613-632-1053 Slp TRINA VINCE (905-532-1365)	Via	ce Ref FOB	
Q U Test Certs: Chem-Y Phys-Y 1 O ***MATERIAL IN STOCK	O T A T I O N riginal copies	QT No: P with Shipment, 1 wi	EC ST-293565 th Invoice
1 ALUMINUM SHEET 6061 T6 .0810 Nom X 48.0000" X 144.00 MATERIAL	00"		218 LBS 675.80
2 ALUMINUM SHEET 6061 T6 .1250 Nom X 48.0000" X 96.000 MATERIAL	0" 56 LBS @	1 PCS 3.1300 LBS	56 LBS 175.28
3 ALUMINUM FLAT BAR 6061-T6511 .125" x .750" X 240.0000" MATERIAL	5 PCS @	5 PCS 5.0000 EA	11 LBS 25.00
4 STAINLESS STEEL SQ TUBE 304 ST 750" X .750" X .065" X 240.00	الهوا	10 PCS	122 LBS
**5 PCS IN STOCK - INCOMING DU MATERIAL		43.0000 EA	430.00

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **

** REFERENCED ON IT **

Price in effect at time of shipment.

Price based on receipt of total order.

All weights are theoretical.

All orders are subject to credit approval.

**** TEL. 800-926-2600 ****

*** CUSTOMER PICK-UP HOURS ***

*** 9:00 AM TO 4:00 PM ***

Page: 1Continued

QUOTATION

No: PEC ST-293565

Quoted By:

THYSSENKRUPP MATERIALS NA

2821 LANGSTAFF ROAD

CONCORD, ONTARIO L4K 5C6

Tel: 905 669 9444 Fax: 9057389033

Quoted To: (20115)

Quoted Ship To: (1)

DART AEROSPACE

DART AEROSPACE

OUOTATION QT No: PEC ST-293565

* WE STOCK STAINLESS STEEL!!!!! *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE

ADDED TO EVERY ORDER AS OF DEC 8/08.***

Page: 2Last

6061768.080 × 925FV 606176B.344.X.125×1606+ 1006+

-	· · · · · · · · · · · · · · · · · · ·	~ 750				
	M1010B0.500X03.000	14.46		0	0	0
	M1010B1.000X02.000	2.133157895		0	11.4	. 6
	M1010R0.375	0.36		0	10	. 0
	M1018TR1.250W.109	3.684210526		0	14.21	0
	M12883/45-01			0-	4	4
į.	M174B0.500X02.000	9.11E-02		0	56.4027	20 、
	M174B1.250X02.000	6.787225255		0	24.73765	20
	M174B2.000X01.500	2.412105263		0	10.67	12
	M174PH-H900B3.937X4.750	15.00432316		0	19.37915	8
	M174PH-H900B3.937X4.730	91.97729118		0	11.62	4
	M174PH-H900R1.375	92.49978947		0	34.4	4
	M2024T3A1.0 X 1.0 X.125	0.2		0	10.2	0
		323.3946263		0	216.4595	64
	M2024T3S.040			_		
	M22759/16-16-9	10		0	62	10
	M2650-6	27.84286749		0	63.44736844	30
	M303B0.500X0.500	0.300063158		0	10.6908	6
	M303B1.000X03.000	1.145		0	6.905	
	M303B1.000X2.000	1.83159		0	17.68421	6
	M303B1.250X03.500	0.561389474		0	4	
	M303B1.500X03.000	0.121647368		0	2.5427	6 ``
	M303B2.000X1.750	3.647486316		0	13.76646	10
	M303R0.313	6.14E-02		0	22.13	12
	M303R0.375	5.159210526		0	34.725	12
,	M303R0.750	64.49005284		-0-	66.940216	60 2
•	M304B0.500X2.500	425.7756579		0	56.245	12
	M304EX0.75-16F	527.1433237		0	872.306833	192
	M304R.250	0.356225474		0	34.505236	12
	M304R.500	2.326526316		0	43.31	24
	M304R1.00	8.210526316		0	0	0
	M304RO.750	25,17326316		0	58.58003684	24
	M304S12GA	67.03030015		0	193.1	32
	M304S26GA	2.746967679		0	109.66	32
	M304TR0.375W.035	3.16E-02	•	0	53.5	6
	M304TR0.375W.065	0.137404047		0	27.5387	12
	M304TR0.750W.065	1.212994737		0	63.5	24
	M304TR1.000W.049	0.402610105		0	23.515268	24
	M304TS0.500W.049	123.0671848		0	422.1160258	
	M304TS0.750W.049	257.5269811		0	138.7183048	120 (200%)
	M4130NB0.500X03.000	43.43868421		0	28.725	40246+
	M4130NR0.375	0.557368421		0	11.75	0
	M4130NR0.750	1.89E-02		0	12.9	6
	M4130NT0.500W.049	5.725263158		0	58.283	10
	M4130NT0.750W.049	38.23342105		0	105.5417	30
	M4130NT1.000W.049	1.120723684		0		12
					21.03125	
	M4130NT1.000W.120	0.249789474		0	15.84	12
	M6061T6A.750W0.625	10.00000450		0	0	0
	M6061T6A1.000W.125	18.88032159		0	49.00474264	0
	M6061T6B0.250X06.000	6.348368421		0	18.448	12
	M6061T6B0.375X00.750	3.873942105		0	18.1471	12
	M6061T6B0.375X02.000	1.131757895		0.	21.8023	6
	M6061T6B0.375X03.000	0.377878947		0	13.5	6
	M6061T6B0.500X02.000	3.410557895		0	27.2834	10

M6061T6B0.500X05.000	28.41631579	0	41.7636	12
M6061T6B0.500X06.000	21.61024211	. 0	40.4384	24
M6061T6B0.500X10.000	1.210863158	0	14	24
M6061T6B0.750X00.250	5.619157895	0	16.5	12
M6061T6B0.750X00.750	0.922943162	. 0	18.44095	24
M6061T6B0.750X03.000	2.28E-02	. 0	53	20
M6061T6B00750X00.125	14.52251053	0	70.0243	80
M6061T6B1.000X02.000	16.66269474	0	73.1103	40
M6061T6B1.000X02.500	8.08E-02	0	35.36	12
M6061T6B1.000X04.000	30.18456316	0	53.2995	12
M6061T6B1.000X06.000	2.325987994	0	12	6
M6061T6B1.000X12.000	14.03970526	0	21.069	12
M6061T6B1.000X15.000	5.219473684	0	38.09	24
M6061T6B1.250X01.250	1.236254211	0	25.86645053	12
M6061T6B1.500X01.250	1.572605258	0	20.02035	12
M6061T6B2.000X01.250	9.05194734	0	34.3055	20
M6061T6B2.000X02.000	0.316608432	0	37.3442	12
M6061T6B2.000X04.500	2.495783684	0	10.86631	6
M6061T6B2.500X03.500	0.895771111	0	9	8
M6061T6B30000X01.500	1.109783411	0	19.1289	20
M6061T6H1.000	1.926105263	0	. 18.13	·12 🗻
-M6061T6R0.625	44.39696316	0 -	51.06	30
M6061T6R0.750	5.080715789	0	47.76484211	40
M6061T6R1.000	2.229347368	0	28.914	12
M6061T6R1.250	0.406097368	0	50.48205	12
M6061T6R1.500	0.169736842	0	15.007	2
M6061T6S.125	11.7529793	. 0	66.56	96 JUDY
M6061T6T0.250W.035	5.368421105	0	20.631579	10
M6061T6T0.375W.035	8.771446674	0	235.511716	100 - 0+
M6061T6T0.500W.058	27.09315789	0	62.5	80 200 B
M6061T6T0.625W.049	3.789473684	0	26	10
M6061T6T1.000W.188	28.56362256	0	26.737418	40 440 87
M6061T6T1.500W.125	3.026315789	0	29.5	12
M6061T6T1.750W.065	1.956842105	0	31.959	12
M6061T6T3.500W.375	5.368421053	0	8.5	0
M6061T6T5.000W.125	5.757889474	0	24.3754	6
M6061T6TR4.0X2.0W125	19.80520526	0	25	6
M6061 T6TS0.750W.062	133.9430068	0	31.62726	100 200 am P10: 13273
M7075T6B1.000X1.000	0.492284592	0	12	10
M7075T6B1.500X1.500	0.221021053	0	16.8526	6
M7885/2-4-3	12	0	441	80
M7885/3-4-4	16	0	183	100
M7885/3-4-5	3	0	71	50
M81714/16-3	1	0	4	4
M81714/2-DC1	2	0	4	4
M81714/2-DD2	1	0	4	4
M83536/2-024	1	0	4	4
MB10-334-02	. 25	0	25	0
MB10-334-03	10	0	10	0
MDELRINB0.250X01.000	2.526315789	0	. 7	6
MDELRINB0.75X1.250	4.153157895	0	22.7524	12
MDELRINB1.000X05.000	0.59	0	. 8	0
		•		

A C K N O W L E D G M E N T No: PEC ST-293895 SALES 20Jan11 16:09

Sold By: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD

CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033

Sold To: (20115) DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7

Page: 1Continued

Ship To: (1 DART AEROSPACE (1) 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7

Con	TRINA VINCE (905-532-1365)	PO/Rel 13332/CF Tel 613-632-957	HANTAL 77 Fax 613	8-632-1	.053
====	SALES ACI		========= M C N T	 N O2	TO DEC ST-293895
	Test Certs: Chem Y Phys Y 1 O	riginal copies v	vith Shipm	ment, 1	with Invoice
	***MATERIAL IN STOCK				
1	ALUMINUM SHEET 6061 T6 .0810 Nom X 48.0000" X 144.000	00"	4	PCS	218 LBS
	MATERIAL	218 LBS @	3.1000	LBS	675.80
2	ALUMINUM SHEET 6061 T6 .1250 Nom X 48.0000" X 96.0000			PCS	•
	MATERIAL	EC TDC @	3.1300	LBS	175.28
3	ALUMINUM FLAT BAR 6061-T6511 .125" x .750" X 240.0000"			PCS	11 LBS
	MATERIAL	5 PCS @	5.0000	EA	25.00
4	STAINLESS STEEL ROUND BAR 303		2	PCS	64 LBS
	1.00" DIA X 144.0000" MATERIAL	64 LBS @	2.4500	LBS	156.80
. 5	STAINLESS STEEL ROUND BAR 303			PCS	127 LBS
	2.00" DIA X 144.0000" MATERIAL	127 LBS @	2.4500	LBS	311.15
	MILL TEST REPORTS, PACKING SLIP WITH MATERIAL AND FAXED TO THE TO SHIPPING. ATTN: CHANTAL/LINDA ** ALL PACKING SLIPS MUST HAVE ** REFERENCED ON IT ** ** CUSTOMER PICK-UP HRS / 9:00 *** TEL. 800-926-2600 *** ************************* ** WE STOCK STAINLESS STAIN	CUSTOMER PRIOR THE HEAT NUMBER AM TO 4:00 PM ************* TEEL!!! EXT REQUIREMENT ************ SURCHARGE WILL . 8./08.***	<pre> ** ** * * * * * * * BE</pre>		
		Order Tota	ls:	5 Items	476 LBS

SALES ACKNOWLEDGMENT No: PEC ST-293895 20Jan11 16:09

Sold By:

THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD

CONCORD, ONTARIO L4K 5C6

Tel: 905 669 9444 Fax: 9057389033

(20115) Sold To:

Ship To: (1) DART AEROSPACE

DART AEROSPACE

SALES ACKNOWLEDGMENT SO No PEC ST-293895 Test Certs: Chem Y Phys Y 1 Original copies with Shipment, 1 with Invoice

******************** Taxes ORDER AMT

Material Processing 1,344.03

Freight

Other 174.72

1,518.75

************************* Taxes: ONHSTS

174.72

2 Last Page:

• .	S						
	2821 LANGSTA CONCORD ONT	BILL MATERIALS NA FF ROAD ARIO L4K 5C6 9444 Fax: 90573		Shir Prob Via FOB Frt Rout Vhc1	Date 24Jan Date 24Jan Date 1151310 APEXMOTOR- CONCORD PREPAID DE 0- 0 Ma	nifest	rom Prw
	Ship To: DART AEROSPA 1270 ABERDEE HAWKESBURY, Tel: 613-632	CE	32-1053	Sold DART 1270	TO: (201 TAEROSPACE ABERDEEN ST KESBURY, ON	15)	
		BILL	OFL	ADII	4 G		
	Part #	PEC-293895- 1	YOUR PO #	Rel #	CHANTAL	M Responsi	,
	ATIMINIM CHEE	T 6061 T6	0000"				i .
	.0810 NOW X	48.0000" X 144.0 Heat Number 422402	Tag No 156796		Quantity 192.00 SFT	PCS 4	Wt LBS 210
	3) Our Order	DEC_293895- 2 1	Your PO #	13332			• ,
	Part #	PEC-293895- 2		Rel #	CHANTAL	,	
	ALUMINUM SHEE .1250 Nom X	T 6061 T6 48.0000" X 96.0 Heat Number 12833/01	000" Tag No 156797		Quantity 32.00 SFT	PCS	Wt LBS 56
		DDG 00000E 7 1	V DA #	12222	•	•.	· '
	Part #		, ,	VET #	CUMILIAN	ا در الاعتمالية العرب المراجعة العرب المراجعة العرب المراجعة العرب المراجعة العرب المراجعة العرب المراجعة المراج	
	*	10081183a	156667	. "	100 FT	PCS Williams	Wt LBS
	4) Our Order	PEC-293895- 4	Your PO #	13332	ርய አለም አፐ		:
	Part # STAINLESS STE	EEL ROUND BAR 30	3 STAINLE	SS vet #	CUMIVIAN	in the second of	
	1.00" DIA X 3	L44.0000" Heat Number 7WX0	Tag No 156668		Quantity 24 FT	PCS IIII	Wt LBS 65
		V 4				•	
					a display		
	Page: 1	Continued					
		ALLIAMBIEN - i	ALTON - CH	IVBE • PI	ASTIQUE + ACIEI	XOMES	
		ALIPANUM +	BRASS . CC	PPER . F	LASTICS · STAIN	LESS	
		!				· · ·	
	BAP	J MARCHANDISES MANQUANTE PORTÉES IMMÉDIATEMENT,	Ī	,), ,			
	RETOUR DE MARCHANDISES	TTAGE MUST BE REPORTED IM AVEC NOTRE NUMERO D'APPR	OBATION SEULEM	ENT.	•	•	
	MERCHANDISE MAY NOT E	BE RETURNED WITHOUT OUR A	PPROVAL NUMBE	R		• .	ı
		:	1				

REQUEN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION TVO/QST# 1017327981 TQ001 TPS/GSTTVH/HST# 140223934 RT0001

```
PEC 693046
                                                               No:
                                     LADING
                     BILL
                               OF
                                           Ship Date 24Jan11 at 8:16 From PFW Probill T151310
  Ship From:
  THYSSENKRUPP MATERIALS NA
                                            Via APEXMOTOR-PEC
  2821 LANGSTAFF ROAD
                                                  CONCORD
  CONCORD, ONTARIO L4K 5C6
                                            FOB
   Tel: 905 669 9444 Fax: 9057389033
                                                  PREPAID
                                            Frt
                                                    0- 0 Manifest
                                            Route
                                                               Trailer
                                            Vhcle
                                                  TRINA VINCE (905-532-1365)
                                           Slp
                                           Sold To: ( 20115)
DART AEROSPACE
   DART AEROSPACE
                                BILL OF LADING
  5) Our Order PEC-293895- 5 Your PO # 13332
                                         Rel # CHANTAL
  Part #
  STAINLESS STEEL ROUND BAR 303 STAINLESS
  2.00" DIA X 144.0000"
                                                                           Wt LBS
                                                              PCS
                                                  Quantity
                               Tag No
                Heat Number
                                                                              135
                                                     12 FT
                               156669
               83952
                                                                              LBS
                                                      Tags
                                                              PCS
                                                                              477
                                                               13
                     *** Chemidal Analysis ***
Heat Number
10081183a
12833/01
422402
7WX0
MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.
ATTN: CHANTAL/LINDA
** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER
** REFERENCED ON IT **
TOTAL: 1 SKID, 2 BDLES - ITEM #1 AND #2 - 1 SKID ITEM #3 - 1 BDLE
        1 SKID, 2 BDLES - 575 LBS
ITEM #4 AND #5 - 1 BDLE
*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM
**** TEL. 800-926-2600 ****
************
           WE STOCK STAINLESS STEEL
            2 ....Continued
    Page:
                    ALUMINIUM . HATTON . CUIVAE . PLASTIQUE . ACIER INOX
                     ALUMINUM . BRASS . COPPER . PLASTICS . STAINLESS
```

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT, ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

RECU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION TVQ/QST# 1017327881 TQ001 TPS/GST TVH/HST# 140223934 RT0001

PEC 693046

BILL OF Ship From: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033

Ship Date 24Jan11 at 8:16 From PFW Probill T151310 Via APEXMOTOR-PEC FOB CONCORD PREPAID Frt 0 Manifest Route Trailer Vhcle TRINA VINCE (905-532-1365) Slp Sold To: (20115)

No:

Ship To: (1)
DART AEROSPACE

LADING

DART AEROSPACE

Page: 3 Last

ALLMINIUM - ACION - CUIVRE - PLASTICUL - ACIER INOX - ALIGNIBUS - BRASS - COPPER - PLASTICS - STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

RECU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION
TVO/OST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

SSENKRUPP MATERIALS NA

ALUMINUM SHEET 6061 T5 .0810 Nooi X 48.0000" X 144.0000"

PO/Rel 13332 We certify that this is a true-capy of the reput famished by the produces of the metal, or data resulting from tests made in approved this

/CHANTAL

Certificate of Mill Test Results

BLPEC 693046-001

CERTIFIED INSPECTION REPORT

Alcoa Inc.

PITTSBURGH, PA DAVENPORT WORKS

Ship From:

RIVERDALE, IA.

Alcoa No. Item

1000218873-4

DS-38873-4

P.O. No. Gov! Contract No.

00202 CUBDOTEX

Alcoa Item

5400077954 3mf: 0840

Ship Date

2010-11-30

Invaise No.

COPPER & BRASS SAL GO41099578R0S

Ship To: COPPER & BRASS SALES INC

415 STATE PARSHAY

SCHADORUBG 60195 IL

Item Description

0.38 IN TK (+0,0000 -.0045) X 48.0 IX W (+.125 -,125) X 144.0 IN LN (+.15625 -.15625) CRT X 963567-2 (N) A/T 6051-

5944233

TO FLAT SPEET FOR DISTRIBUTIONS TOLERANCE GUARANTEED ALFERO1630, RMS4027 REV N EXC MORE ASTMEZOS BEV 07 ((MARKED)) KEAPT PAPER INTREJERVED MAK GROSS

SEID MET: 4000 EB QUAN TOL +/-30 \$ COR 0214533 RBV 05 CUST REQ 10-11-

24 *** W/R 10-11-27 ***

You	Package Ticket	Jot.	Weight	Quantity	WM	Inspector Clock Matters
1	256111	422402	1571	69	PC	27740 47114
ž	256114	422402	3581	69	PC	27740 47114
3	256127	122102	1665	32	PC	27740 47114
4	256129	422102	3579	69	PC	27740 47114
				~~~~~~~		
		•	12396	239		

Notes for CQR: 0234533.5

PRODUCT PRODUCED TO THE REQUIREMENTS OF AMS4027 REV II ALSO MEST THE REQUIREMENTS OF AMS-QQ-A-250_11 ORIGINAL REVISIO IS DATED 1997-08-01,

CQR: 0210533.5 -Specification Limits --

UTS TYB KG43 KSI RSI PCT

ly cardly divisits mynyfel covered by this conflictels has been frugerind with, and free to pay joined in cond, the In responsionals disputable Matchin, helioday any specifications forming a part of the discription and divid as aple

Tope Die Long Transv.

Max Min 42.0 35.0 30

Chemical Composition

Other Other FR CU MN MG CR ZN TI Each Total Aluminum 0.8 0.7 0.60 0.15 1.2 0.35 0.25 0.15 0.05 0 15

Alloy 6061

Min 9.40 0.15 0.8 D.04 REMAIN

Doc No. 102968 Indexed 13Jan1f by karen

THYSSENKRUPP MATERIALS NA DARTAEROSPACE

PO/Ret 13332

/CHANTAL

Certificate of Mill Test Results

BLPEC-693046 001

Pg 2/2

We certify that this is a true copy of the cepat marking by the produces of the metal, or this resulting from tests made in approved labe.

ALUMINUM SHEET 6061 T6 GRID Non X 48,0000 X 444,0000" PARTING

CERTIFIED INSPECTION REPORT

Alcoa Inc.

DAVENPORT WORKS PITTSBURGH, PA

Ship From:

RIVERDALE, IA.

1187125 Ship Date Invoice No. Alcoa No. Stem 50000 2010-11-30 5444233 Customer

1000236873~4

Page DS-38673-4

P.O. No./Govt Contract No.

Alcca Item

COPPER & BRASE SAL GD41099578R05 5400077954 Laft: 0040

CQR: 0214533.5 -Specification Maits (cont.) ------- Mechanical, Mysicai, Metallography, Quantometer Results -Lot: 422402

UE E0-> TYS BL4D Dir Test 351 XCT PCT Tempr Long Transv. 50.1 44.4 10.6 44.2 10.7 49.9

М Cast Monber Chemical - OES SI es ca XG CR R5830092 Actuals 0.53 0.4 0.24 0.06 0.9 0.19 0.02 0.02

This material was melted in the United States or a Qualifying Country (REF DYARS 225.872.1(a)); it was wanufactured in the United States

# THYSSENKRUPP MATERIALS NA DART ABROSPACE PORM 12332

Certificate of Mill Test Results

CHANTAL

BL PEC>593045-002 243an31

Pg 1/2

ATMINUM SHEET 604 TS 1250 Non X48,0000° X96,0000° PART NO

We could find this is a row copy of the topon fundhed by the producer of the moen, we date resulting from was made in approved to be



Abnahmeprüfzeugnis 3.1 (EN 10204) inspection certificate - mili certificate

Zerükzleri nuch / carifect to ISO 9501. IBD/TS 16949, EN/AS 9100, IBD 14001, NADCAP

Nr.:

85329436 04/5

Rev. 0

Selte / page: 1 von / ol 2 Datum / dato: 2010 10 18

Auftraggeber / customer: Bestell Nr. / order no.: PEC-224981 ThyssenKrupp Materials NA Datum / date: 2010 09 28 2821 Langslaff Rd CDN-L4K 606 CONCORD,ON Auftragebest, Nr. / order confirm. no.: 618747 Dalum / date: 2010 09 30 Warenempfänger/opnsignse: Lioforechein Nr. / dalivory note; 85329436 ThyssenKrupp Materials NA Datum / date: 2010 10 18 2821 Langstaff Rd Akkreditiv Nr. / letter of credit no.: CDN-LAK 5C6 CONCORD,ON Endkunde, Bestell-Nr. / Your nuct., ord. no.:

Bedingungentermal Produkt/product Techn. Lisferbedingungen / techn. spec.: AMS-QQ-A-250/11, 08.1997 Form / form: Sheet Werkstoff / material: 6061 Zustand / temper: T6 A9TM B 209 - 07 Dim. / dim: [Inoh]: 0,125x48,00x96,00 Kundenarlikei-Nr / customer article no.: Material meets also the mech. properties of AMS 4027N, 07.2008, but not marked ANSI H35.2-2009 ASME SB 209, 2007 Sandarvorschrift/special terms;

AB-Pos,	BNr/Los/Tellos	Guss kr	Werketoff ra	Kollo	Ginvight netto.	Silc.
ord-Hem	Lol/No/Pert	Seet no.	(material se	14-2 packno	Weight net	pos:
02	12839/01/00	01/0040947/0	5081.1	5187470002	3273,81 lbs	60
Chemisch	ė Zusammenseiz:	ıng/(chem)cili cor	nposition; [%] G	lawichtsantelle //we	ight proportion	

Chemische Zu	Chemische Zusammensetzung // chemical composition: [%] Gawichtsantelle //weight proportion										
Quan Nr. / sent no,	Quan Nr. / Sant no. AMAG designation										
01/0040947/0	6001.1	84	Fe	GI	Mn	Mg.	G	Mi	Zn	'n	
	ectual	0,71	0,40	0,21	0,13	0.80	0,16	0,01	0,05	0,06	

Zugversuch / Tensile testing water with the contribution of the co										
invilos LotNo,	Zustand temper	Richtung direction		Rim [ks]]	Rp0.2 [kel]	A2" [%]		<u> </u>		
12833/01	78	LT		49,0	43,7	14				
12893/01	T6	LT		49,2	43,5	14				
12883/01	<b>T6</b>	ַ וַד		49,2	43,8	14				
12833/01	TS	LT		49,0	43,5	15				
12833/01	Ť6	LT		49,7	44,2	14				
12633/01	T6	LT		49,2	43,8	14				
12833/01	16	LT		49,0	43,7	14	i			
12833/01	T8	เา "		49,2	43,7	14				
12833/01	T6	LY		49,3	43,8	14				

AMAG rolling GmbH, Postlach 02, A-5282 Ranshofen, Österreich — <u>www.emsc.et</u> AMAG rolling EmbH, P.O. Box 32, A-5282 Ranshofen, Alabin — <u>www.emsc.et</u>

TEYSS DART AL	RNKI	RIPP	MATH	RIA	II S NA
DARTAE	ROSPAC	E			PO/Réi 18332

Certificate of Mill Test Results
BL PEC-699046-002 39436113

/CHANTAL

Pg 2/2

ALIMPUM SHEET 604 TS 1350 Nem X #8.0000 | X96.0000 PART.NO

PO/Rel 18332
We certify that this is a true cogy of the toport numbried by the producer of the mean, or dain resulting from tests asset to approve dain.



Abnahmeprützeugnis 3.1 (EN 10204) Inspection certificate — mili certificate

Zenisziert nach / perimed (ö. 180 900), (SC/TS 16949, EN/AB 8100, (80 1490), NADCAP

Nr.: 85329436 04/5

Rev. 0

Selle / page: 2 von / of 2 Datum / date: 2010 10 18

Es wird bestätigt, dass die Lielerung geprüft wurde und den Vereinbarungen bei der Bestellung entspricht. We hereby certify that the material described above has been tested and complies with the terme of the order **contract** 

Werksauchverständig factory/aposialist	er EMAL MANUEL EMA
Josef Klampfer	[.klamplen@amag.at

Herstellerland: Östernsich / goods oright: The goods are of Austrian origin. Meschinell erstellt - Göltig ohns Unterschrift / Autoristied - valld without being signed.

AMACI rolling GmbH, Poetisch 32, A-5252 Ronstolen, Östereich — <u>www.ompo.sr</u> AMACI rolling GmbH, P.O. Box 32, A-5252 Ranshofen, Austra — <u>www.cmpo.st</u>

PO/Rel 13332

Certificate of Mill Test Results BL PEC-693046-003 24Jan11 /CHANTAL

Pg Vi

altuminum flat bar edel-tesil 195" x 750" X 240.0090" PART NO

Vicessify that the thir tagy of the taper innulating the publicar of the metal, or data resulting from teat made in approved labs.

# Material Test Report

Customer Ship To:

Our Order:

372006 - 3

ThyssenKrupp Materials NA

Your PO# 224069

Signad by

2821 Langstaff Road

Part #

05485-000-240

Die:

ES05485

Concord

Description:

.125 x .750

ON

Alloy Temper

6061 T6511

L4K 5C6

Print Date:

9/10/2010

#### Chemical Composition

others others Tî Αl Zn total F¢ SI Ċu Μ¢ each 0.25 max 0.15 0.05 0.15 remain 0.15-.40 0.15 max 0.8-1.2 0.04-0.35 0.40-0.8 0.7 max

				nical Proper Strength kai	<u>ties</u>	
Test ID	Test Date	CastNum	Ultimate	Yield (2% Offset)	Blongation (2" gage length)	Skid #
121964	9/2/10	10081183a	39.14	36.03	8.0	5149416 5149959

Applicable Specifications: ASTM B221-06 ASTM B308 ASTM B420 QQA200/8 QQA200/16

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any malarius not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Evan Eng - Tensile Testing

Authorized

Evan Eng, Quality Assurance Mgr.

## <u> ISSENKRUPP MATERIALS NA</u>

PART NO:

STAINLESS STEEL ROUND BAR 300 STAINLESS 1.00° DIA X 144.0000°

PO/Rel 13332 We restify that this is a type-dappe of the report from short by the producer of the melal, at data resulting from lests and de mappayeet labs

CHANTAL

Signed by:

Certificate of Mill Test Results BLPEC-693046-004

Date: 12/10/2010 Page: I

24Jan11 Pg 1/1



### METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS 6870 HIGHWAY 42 EAST **GHENT, KY 41045** 

6870 HIGHWAY 42 EAST

Certificate: 606697 Customer: 007206 001

Mail To:

THYSSENEGUPP MATERIALS

2821 LANGSTAFF ROAD

CONCORD, ON 14K5C6

Ship To:

THYSGEMERITPE MATERIALS

2821 LANGSTAFF BOAD

CONCORD, ON LAKSOF

Steel: 303

Finish: ST

Your Order: PEC226743

MAS Order: IN 0108238 06

Correcton:

PRODUCT DESCRIPTION:

Round Bar, Annualed, Smooth Turned, Cold Finished ASTM A582/05 EN 10204 3.1, ASTM A484/08 AMS 5640U TYPE 1, QQS-764B COSMITTOR A

REMARKS:

COMPLIES W/REQUISIMENTS OF DYARS BU DIRECTIVE 2002.95. EC. BOHE. EAF+AOO+CC. NO WELD REFAIR. MELTED AND MFG IN USA PREE PROM NERCORY AND LOW MELICING ALLOY CONTANIDATION

Product Id	Skid # Diameter	Size	Weight	Length	Hazk	Pieces Commodi	ty Cade	
BD4530 8	1.0000		1,004	144.00	10	1		
1								

#### CHEMICAL ANALYSIS CM(Country of Meit) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

riesco											
ran	us	.0435	.0235	17.7775	.1365	1.7785	.2555	.0409	8.5735	.0270	
						<del></del>	· · · · · · · · · · · · · · · · · · ·				
		.3465	.2255			<del></del>					

#### MECHANICAL PROPERTIES

Product Id	<u>.</u>	1 d 0 i 0 x	EB Mo.	.215 KSI	ups Ksi	BA %	Elng % (D
BD4530 8		R L	165.00	59.86	97.05	25.69	16.94

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

OC ENGINEERA

ERIC HESS

12/10/2010

PO/Rel 13332 AEROSPACE

Certificate of Mill Test Results

CHANTAL.

BU PEC-593045-005 2418011

STAINLESS STEEL ROUND BAR 383 STAINLESS ZOO DIA X 144,0008 PART NO

# VIRAJ PROFILES LIMITED

10 Imperial Chambers, 1st Floor, Wilson Road, Mumbai 400 038 INDIA

TEST CERTIFICATE

CUSTOMER PIDELITY STAINLESS LTD. 2213 NORTH SHERIDAN WAY MISSISSAUGA, ON LSK 1A3

ORDER NO PQ1025

PACKING LIST NO IMP/915178/20

INSPECTION NO

100000697488 GRADE

T-303

06,08,2010 HEAT No 83952

DATE

BUNDLE NO: 5110452, 5110451, 5110450, 5110449, 5110448,

DESCRIPTION STAINLESS STEEL BRIGHT BARS

#### SMOOTH TURNED

R	OUND	,	ASTM	A 204	190					T
		-	P. C. J.	1 17404	12	- 14'		46		6,27).000 LB
		- · · ·		CH	EMICA	L ANAL	YSI8	•		
Mn %	Si	%S	%P	%Cr	76N1	%Cu	%Mo	%Co	%N2	
980 0.5	00	0.3010	0,0400	17.130	8,200	0.480	0.350	0.140	0.05000	
					Mn %Si %S %P %Cr	Mn %Si %S %P %Cr %Ni 80 0.500 0.3010 0.0400 17.130 8.200	Mn %Si %S %P %Cr %Ni %Cu	WIII 7651 765 761	Mn %Si %S %P %Cr %Ni %Cu %Mo %Co	Mn %Si %S %P %Cr %Ni %Cu %Mo %Ca %N2

0.3% yield strength	Tensile Strength	Elongation %	Reduction Of Area	Hardness BilN	Grain Sice NOS
ks1 50.0	88.0	42.0	63.0	180.0	6.0

#### SPECIFICATION:

MATERAL CONFIRMS TO DIN 10081-3:2005 COND-A & ARTM A \$82/A582M-05 COND A, ASTM A 388-01,ARTM A 484-061AMS 4640R TYPE 1, EXCEPT MARKING, QQS-764BA2 COND A. BYCEPT MARKING, UNS-8-10100 ASTM A314-2002. ASTM A320/A310M-05a BSF CLASS LASME SA 320 BSF CL1 MILLS-REZ B CRACE AISI 303 & WNR 1.4305. CERTIFIED AS PER EN 10204-3.1

#### REMARKS

MATERIAL IS FREE FROM MERCURY CONTAMINATION. PREE FROM WELD OR WELD REPAIRS, MICRO: FREE FROM CONTINUUS CARBIDE NETWORK ON CRAIN WOUNDAKIES, MACRO COCID, MINIMUM SOLUTION BANKSALING TEMPERATURE 000C, SDAKING (TIME COLORS, WATER COVENCHED. MELT SOURCE: ACO. WE CONFIRM THAT THE MATERIAL HAS DEEN TESTED AND FOUND TO BE FREE FROM RADIOACTIVE CONTAMINATION COUNTRY OF ORIGIN: INDIA

We hereby osnify that the material described above has been tested and compiles with the terms of order/contract.